

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L3	1	10/688661	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L4	6	("5631759" "5966684" "6366631").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L5	63	(eye adj diagram) and (((previous or prior or before) near4 bit) and averag\$3 and display\$3 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L6	4	("6278357" "6546345").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L7	13	(eye adj diagram) and (((previous or prior or before) near4 bit) with pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L8	2534	455/296	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26

EAST Search History

L9	259	(eye adj diagram) and ((previous or prior or before) near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L10	2	L9 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L11	18	(eye adj diagram) and (((previous or prior or before) near4 bit) same pattern) and averag\$3 and display\$3 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L12	2	"6812688".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L13	3	"10/673735"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L14	0	"10673735".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L15	69	(eye adj diagram) and ((previous or prior or before) near4 bit) and averag\$3 and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26

EAST Search History

L16	137	(eye adj diagram) and ((previous or prior or before) near4 bit) and averag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L17	2	"6549352".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L18	0	("2004/0120352").URPN.	USPAT	OR	ON	2007/08/23 11:26
L19	1235	375/348	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L20	46	"1554589"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L21	2	"6898253".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L22	0	"68126881".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L23	14	("20020032555" "5058130" "5128964" "5966684" "6366631" "6597650" "7002890").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26

EAST Search History

L24	5	L9 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:14
L25	1	(((((previous or prior or before) near4 bit) same pattern) and averag\$3 and display\$3 and pattern).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:26
L31	2	(slices waveform bit values prior average pattern).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/23 12:15
L33	1	(slices waveform bit values prior average pattern overlay\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/23 12:16
L36	1	(slices waveform bit adj values prior average pattern overlay\$3 display\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/23 12:17

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

slices "bit values" prior average pattern" overl

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 266 for **slices "bit values" prior averaging overlay display**. (0.32 seconds)

Programmable filter for removing selected user data from an MPEG-2 ...

If this flag is set then the following 64 eight-bit values in the ... Start Code of a next record (Group of Pictures, Picture or **Slice**) in the bit-stream. ...

www.freepatentsonline.com/6366617.html - 54k - [Cached](#) - [Similar pages](#) - [Note this](#)

Video processing engine overlay filter scaler - Patent 20020145610

[0103] The **Overlay Display** Engine (ODE), Primary **Display** Engine (PDE), where each synthesized line is the **average** of the two neighboring field lines. ...

www.freepatentsonline.com/20020145610.html - 111k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

Image Acquisition and Display

overlays a given RenderedImage on top of the current contents of the TiledImage

Similarly, once a lower resolution image **slice** is obtained, ...

java.sun.com/products/java-media/jai/forDevelopers/jai1_0_1guide-unc/Acquisition.doc.html

- 164k - [Cached](#) - [Similar pages](#) - [Note this](#)

Transitioning Desktops to Set Tops

On the other side, the set top interfaces to a user through **display** devices, ... New applications, such as advertisement insertion or **overlay** in video ...

doi.ieeeecs.org/10.1109/MDT.1995.473308 - [Similar pages](#) - [Note this](#)

[PDF] YODA: An advanced display for personal computers

File Format: PDF/Adobe Acrobat - [View as HTML](#)

one plane are tied together. This means that the **display**. processor normally updates one pixel at a time, but a special. mode, called. **slice**. mode, ...

www.research.ibm.com/journal/rd/311/ibmrd3101E.pdf - [Similar pages](#) - [Note this](#)

Programmable filter for removing selected user data from an MPEG-2 ...

3A through 3D (**prior art**) are syntax diagrams of the MPEG-2 bit-stream which are ... The VLD 118 parses the **Slice** and Macroblock layers of the bit-stream to ...

www.patentstorm.us/patents/6366617-description.html - 50k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Virtual reality game method and apparatus - US Patent 5423554

Colors in these tables are referenced with three 6-bit values, 2D illustrates electronic schematic 80 which shows how the Magni **overlay** board 82 is ...

www.patentstorm.us/patents/5423554-description.html - 68k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.patentstorm.us](#)]

[doc] Microsoft DirectX VA: Video Acceleration API/DDI

File Format: Microsoft Word - [View as HTML](#)

Somewhere during this time **slice**, the **display** of pictures with their are sent as 8-bit values (which are either signed or unsigned as determined by ...

[download.microsoft.com/download/1/6/1/161ba512-40e2-4cc9-843a-](http://download.microsoft.com/download/1/6/1/161ba512-40e2-4cc9-843a-923143f3456c/DXVA_1.01.doc)

[923143f3456c/DXVA_1.01.doc](#) - [Similar pages](#) - [Note this](#)

Evaluating Image Analysis Systems: Imaging Research Inc.

That is, a 3-D model is reconstructed from a set of 2-D views, or **slices**, and biological

Multiple image transformations, including image **averaging** and ...

www.imagingresearch.com/applications/evaluating.asp - 120k -

Cached - Similar pages - Note this

[PDF] MC_Rack User Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A special **overlay display** for spike sorting is provided. You can set the number of spike

see now clearly that both brain **slices** fire independently. ...

www.mcs-download.com/download_data/manuals/MC_Rack_Manual.pdf -

[Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Download [Google Pack](#): free essential software for your PC

slices "bit values" prior averaging ov

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more](#) ▾

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

slices waveform "bit values" prior average patt

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 51 for slices waveform "bit values" prior average pattern overlay display categ

[PDF] MC_Rack User Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

frequency, the shape of the signal has changed to a sinus **waveform**. A special **overlay display** for spike sorting is provided. ...

[www.mcs-download.com/download_data/manuals/MC_Rack_Manual.pdf](#) -

[Similar pages](#) - [Note this](#)

Computer graphics processing, operator interface processing, and ...

The **waveform** of a set up signal applied in a reset period rises in at **display** using multiple liquid crystal panels stacked, the **average** change in the ...

[www.freshpatents.com/Computer-graphics-processing-operator-interface-processing-and-selective-visual-disp...](#) - 375k - [Cached](#) - [Similar pages](#) - [Note this](#)

A SYSTEM FOR CONTROLLING GRAY SCALE - Patent EP1384202

In contrast, in a **prior art display** system with only a single binary the system not to perform analyses on the memory **bit values** for a particular ...

[www.freepatentsonline.com/EP1384202.html](#) - 169k - [Cached](#) - [Similar pages](#) - [Note this](#)

Multichannel alignment system and method - Patent Review 5621720

A serial approach which searches one bit position at a time has a maximum **average** reframe time (MART) of approximately 6.85 msec for the DS2 framing **pattern** ...

[www.wikipatents.com/5621720.html](#) - 341k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] VisualDSP++ 3.5 User's Guide for 16-Bit Processors

File Format: PDF/Adobe Acrobat

By default, an FFT performed on each **slice** results in a frequency output. **display**. You can use a color map on the 3-D Axis page of Color Settings ...

[www.analog.com/UploadedFiles/Associated_Docs/](#)

[58212618645186534572273035_ug_16bit.pdf](#) - [Similar pages](#) - [Note this](#)

[PDF] W R X O

File Format: PDF/Adobe Acrobat

Overlay. Perspective. The number of segments you choose to **display** (80 maximum) can be less than the total number of segments in. the **waveform**. ...

[www.lecroy.com/tm/library/manuals/productmanuals.asp?menuid=1&type=4&model=234](#) -

[Similar pages](#) - [Note this](#)

[PDF] LeCroy Serial Data Analyzer Operator's Manual

File Format: PDF/Adobe Acrobat

You can create a histogram of a persistence **display** also by cutting a horizontal or vertical **slice**. through the **waveform**. You also decide the width of the ...

[www.lecroy.com/tm/library/manuals/SDA/OperatorsManual/SDA-OM-E_Rev_F.pdf](#) -

[Similar pages](#) - [Note this](#)

[[More results from www.lecroy.com](#)]

[PDF] Micro System Data Format Specification

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Overlay Tastatur u. Farbtreiber unter DOS. DOS **Overlay** keyboard and color driver. 290.

*.pl. 122. Pearl Script. 291. *.pat. 123. COREL **Pattern** Dateien ...
www.vde.com/NR/rdonlyres/D25D6F4D-559B-43C3-8CA4-
B0D545430620/7308/IEC_MSD_Format_Annex.pdf - [Similar pages](#) - [Note this](#)

[PDF] **I2C manual**

File Format: PDF/Adobe Acrobat
not give us enough transmission rate for **display** data so. serial bus is mainly intended for
control and text. **overlay** signals in such displays. Light Sensor ...
www.nxp.com/acrobat_download/applicationnotes/AN10216_1.pdf -
[Similar pages](#) - [Note this](#)

[PDF] **Raven Pro 1.3 User's Manual**

File Format: PDF/Adobe Acrobat
real-time scrolling **waveform display** in the recorder window. When you In the
spectrogram **slice** view, **Average** Power is the value of the power ...
www.birds.cornell.edu/brp/raven/Raven13UsersManual.pdf - [Similar pages](#) - [Note this](#)

1 2 3 4 5 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

slices waveform "bit values" prior av.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

slices waveform "bit values" prior average patt

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **51** for **slices waveform "bit values" prior average pattern overlay display categ**

[PDF] [MC_Rack User Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

frequency, the shape of the signal has changed to a sinus **waveform**. A special **overlay display** for spike sorting is provided. ...

www.mcs-download.com/download_data/manuals/MC_Rack_Manual.pdf -

[Similar pages](#) - [Note this](#)

[Computer graphics processing, operator interface processing, and ...](#)

The **waveform** of a set up signal applied in a reset period rises in at **display** using multiple liquid crystal panels stacked, the **average** change in the ...

www.freshpatents.com/Computer-graphics-processing-operator-interface-processing-and-selective-visual-disp... - 375k - [Cached](#) - [Similar pages](#) - [Note this](#)

[A SYSTEM FOR CONTROLLING GRAY SCALE - Patent EP1384202](#)

In contrast, in a **prior art display** system with only a single binary the system not to perform analyses on the memory **bit values** for a particular ...

www.freepatentsonline.com/EP1384202.html - 169k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Multichannel alignment system and method - Patent Review 5621720](#)

A serial approach which searches one bit position at a time has a maximum **average** reframe time (MART) of approximately 6.85 msec for the DS2 framing **pattern** ...

www.wikipatents.com/5621720.html - 341k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] [VisualDSP++ 3.5 User's Guide for 16-Bit Processors](#)

File Format: PDF/Adobe Acrobat

By default, an FFT performed on each **slice** results in a frequency output. **display**. You can use a color map on the 3-D Axis page of Color Settings ...

www.analog.com/UploadedFiles/Associated_Docs/

[58212618645186534572273035_ug_16bit.pdf](#) - [Similar pages](#) - [Note this](#)

[PDF] [W R X O](#)

File Format: PDF/Adobe Acrobat

Overlay. Perspective. The number of segments you choose to **display** (80 maximum) can be less than the total number of segments in. the **waveform**. ...

www.lecroy.com/tm/library/manuals/productmanuals.asp?menuid=1&type=4&model=234 -

[Similar pages](#) - [Note this](#)

[PDF] [LeCroy Serial Data Analyzer Operator's Manual](#)

File Format: PDF/Adobe Acrobat

You can create a histogram of a persistence **display** also by cutting a horizontal or vertical. **slice**. through the **waveform**. You also decide the width of the ...

www.lecroy.com/tm/library/manuals/SDA/OperatorsManual/SDA-OM-E_Rev_F.pdf -

[Similar pages](#) - [Note this](#)

[[More results from www.lecroy.com](#)]

[PDF] [Micro System Data Format Specification](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Overlay Tastatur u. Farbtreiber unter DOS. DOS **Overlay** keyboard and color driver. 290.

*.pl. 122. Pearl Script. 291. *.pat. 123. COREL **Pattern** Dateien ...
www.vde.com/NR/rdonlyres/D25D6F4D-559B-43C3-8CA4-
B0D545430620/7308/IEC_MSD_Format_Annex.pdf - [Similar pages](#) - [Note this](#)

[PDF] **I2C manual**

File Format: PDF/Adobe Acrobat

not give us enough transmission rate for **display** data so. serial bus is mainly intended for control and text. **overlay** signals in such displays. Light Sensor ...

www.nxp.com/acrobat_download/applicationnotes/AN10216_1.pdf -
[Similar pages](#) - [Note this](#)

[PDF] **Raven Pro 1.3 User's Manual**

File Format: PDF/Adobe Acrobat

real-time scrolling **waveform display** in the recorder window. When you In the spectrogram **slice** view, **Average** Power is the value of the power ...

www.birds.cornell.edu/brp/raven/Raven13UsersManual.pdf - [Similar pages](#) - [Note this](#)


1 2 3 4 5 **Next**

Download [Google Pack](#): free essential software for your PC

slices waveform "bit values" prior av.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search[Advanced Search](#) [Search Preferences](#)

slices AND waveform AND "bit values" AND prior AND

Search

☒ Journal sources
 ☒ Preferred Web sources
 ☒ Other Web sources
 ☐ Exact phrase

Searched for:: :All of the words:slices AND waveform AND "bit values" AND prior AND average AND patte

Found:: :4 total | 0 journal results | 0 preferred web results | 4 other web results

Sort by:: :relevance | date

Save checked results

Email checked results

Export checked results

- ☐ 1. [00_03dr.PDF](#) [286K]
 Oct 2000
 ...33 A.1.2.7 **OVERLAY** IE...35 A.1.2.12 **WAVEFORM** IE...51 A.9
 STANDALONE **OVERLAY** INFORMATION OBJECT DEFINITION...51 A.9.1
 Standalone **Overlay** IOD Description...
[\[http://medical.nema.org/dicom/2000/draft/00_03DR.PDF\]](http://medical.nema.org/dicom/2000/draft/00_03DR.PDF)
[similar results](#)

 Did you mean?
[slices waveform "b](#)
[values" prior **cover**](#)
[pattern overlay di](#)
[category](#)

 Or refine using:
 All of the words

- ☐ 2. [Printed in the United States of America](#) [PDF-263K]
 May 2002
 ...transmitted, or distributed in any way, without **prior** written permission
 from Cadence. This...278 **Displaying** Information About Databases...281
Displaying Information About Probes...
[\[http://www.ece.virginia.edu/~mrs8n/soc/SynthesisTutori...\]](http://www.ece.virginia.edu/~mrs8n/soc/SynthesisTutori...)
[more hits from](#) [\[http://www.ece.virginia.edu\]](http://www.ece.virginia.edu)
[similar results](#)

Refine

- ☐ 3. [No Title](#) [ASCII-2MB]
 Mar 1998
 ...peripherals may also some day be hooked into the system, although they
 are not currently available (December 1993). The 3DO can **display** {full-
 motion video}, fully {texture map}ped 3d landscapes, all in 24-bit colour.
 {Sanyo} and {AT&T} will also release 3DO systems...
[\[http://www-informatik.fh-harz.de/Netze/documents/Misc/...\]](http://www-informatik.fh-harz.de/Netze/documents/Misc/...)
[similar results](#)
- ☐ 4. [Affirma NC VHDL Simulator Help](#) [263K]
 May 2002
 ...transmitted, or distributed in any way, without **prior** written permission
 from Cadence. This...278 **Displaying** Information About Databases...281
Displaying Information About Probes...
[\[http://www.ece.virginia.edu/~mrs8n/soc/SynthesisTutori...\]](http://www.ece.virginia.edu/~mrs8n/soc/SynthesisTutori...)
[similar results](#)

fast

slices AND waveform AND "bit values" AND prior AND

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

[About Us](#)
[Newsroom](#)
[Advisory Board](#)
[Submit Web Site](#)
[Help](#)
[Contact Us](#)
Basic Search
[Advanced Search](#) [Search Preferences](#)


slices AND waveform AND "bit values" AND prior AND

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:slices AND waveform AND "bit values" AND prior AND average AND patte

Found:: :23 total | 0 journal results | 1 preferred web results | 22 other web results

Sort by:: :relevance | date

- ☐ 1. A SYSTEM FOR CONTROLLING GRAY SCALE
GUNTER, Mike (THREE-FIVE SYSTEMS, INC.), *PATENT COOPERATION TREATY APPLICATION*, Sep 2002
 patno:WO02069259
 ...**display** it. There exists a class of **displays**; primarily micro electromechanical...electro-optic response curve. In these **displays**, image storage within the device itself...multiplicity of on and off states which on **average** provide a shade proportional to the signal **pattern**. Similarly, in an active matrix **display** a multiplicity of transistors may be...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[similar results](#)
- ☐ 2. MTS4EA Compressed Video ES Analyzer User Manual [96K]
 Apr 2006
 ...6-60 **Overlay** Menu...6-179 Explanation of Fatal/Error/Warning/Info **display**..... 6-180 Description of Alert...6-209 **Displaying**/hiding the Main toolbar...
[\[http://www.testequipmentdepot.com/tektronix/pdf/mts4ea...\]](http://www.testequipmentdepot.com/tektronix/pdf/mts4ea...)
[similar results](#)
- ☐ 3. 01_03DR.PDF [298K]
 Jan 2002
 ...39 A.1.2.7 **OVERLAY** IE...41 A.1.2.12 **WAVEFORM** IE...68 A.9 STANDALONE **OVERLAY** INFORMATION OBJECT DEFINITION...2001 Page iv A.9.1 Standalone **Overlay** IOD Description...
[\[http://medical.nema.org/dicom/2001/01_03PU.PDF\]](http://medical.nema.org/dicom/2001/01_03PU.PDF)
[more hits from](#) [\[http://medical.nema.org\]](http://medical.nema.org)
[similar results](#)
- ☐ 4. Tutorials and Topics [PDF-225K]
 Sep 2003
 ...changes when it slows down to change directionand then gainsspeedintheother direction—as shownby thecurveof thesine wave—its **average** velocity from one cycle to the next is the same.Each complete vibratory cycle therefore occurs in an equal interval of time...

[Dic](#)
[slic](#)
[val](#)
[pa](#)
[Re](#)
[us](#)
[fo](#)
[as](#)
[clir](#)
[ent](#)
[fra](#)
[fur](#)
[im:](#)
[me](#)
[mc](#)
[r-r](#)
[Or](#)
[Al](#)

[<http://silvertone.princeton.edu/music314/MSP2.pdf>]
similar results

☐ 5. Copyright and Trademark Notices [PDF-134K]

Jul 2005

...building block of Max is the object. Names of objects are always **displayed** in bold type, like this. Messages (the arguments that are passed to and from objects) are **displayed** in plain type, like this. In the "See Also" sections, anything...

[<http://pcm.peabody.jhu.edu/~wright/stdmp/docs/MSP45Ref...>]

more hits from [<http://pcm.peabody.jhu.edu>]

similar results

☐ 6. Null_ttl.pdf [546K]

Jul 2006

...calculus or discrete mathematics), as this textbook assumes and incorporates these mathematical concepts. This book assumes no **prior** knowledge of computer hardware. A computer organization and architecture class is customarily a prerequisite for an undergraduate...

[<http://www.dpu.ac.th/graduate/mscct/upload/tutorial/2/...>]

similar results

☐ 7. Printed in the United States of America [PDF-263K]

May 2002

...transmitted, or distributed in any way, without **prior** written permission from Cadence. This...278 **Displaying** Information About Databases...281 **Displaying** Information About Probes...

[<http://www.ece.virginia.edu/~mrs8n/soc/SynthesisTutori...>]

more hits from [<http://www.ece.virginia.edu>]

similar results

☐ 8. thesis.dvi [PDF-124K]

Apr 2006

All rights reserved. Author
Program in Media Arts and Sciences, School of Architecture and Planning November 24, 1998 Certified by.....

[<http://lims.mech.northwestern.edu/students/solberg/ME4...>]

similar results

☐ 9. Microsoft Word - Fnl6_104.doc [PDF-68K]

Jun 2005

...is designed to work with high scan-rate radars through Sigma Engineering's new upgraded MRI, which provides plots and **displays** the processed SAR target tracks. The MRI and SARAIT were developed together and since their processing requirements are...surrounding sea and weather clutter, by correlating over many wave periods. Since SAR targets move so slowly, detections will **overlay** within the limits of the measurement errors and the target drift. The SAR targets are so small and so infrequently detectable...

[<http://www.tc.gc.ca/tdc/publication/pdf/13300/13322e.p...>]

similar results

☐ 10. thesis.dvi [124K]

May 2005

All rights reserved. Author
Program in Media Arts and Sciences, School of Architecture and Planning November 24, 1998 Certified by.....

[<http://pubs.media.mit.edu/pubs/papers/99.02.smithphd.p...>]

similar results

☐ 11. No Title [ASCII-2MB]

May 2007

...peripherals may also some day be hooked into the system, although they are not currently available (December 1993). The 3DO can **display** {full-motion video}, fully

{texture map}ped 3d landscapes, all in 24-bit colour. {Sanyo} and {AT&T} will also release 3DO systems...

[<http://ftp.sunet.se/foldoc/Dictionary>]

[similar results](#)

☐ **12. No Title** [ASCII-2MB]

Mar 1998

...peripherals may also some day be hooked into the system, although they are not currently available (December 1993). The 3DO can **display** {full-motion video}, fully {texture map}ped 3d landscapes, all in 24-bit colour. {Sanyo} and {AT&T} will also release 3DO systems...

[<http://www-informatik.fh-harz.de/Netze/documents/Misc/...>]

[similar results](#)

☐ **13. No Title** [ASCII-2MB]

Jul 2005

...peripherals may also some day be hooked into the system, although they are not currently available (December 1993). The 3DO can **display** {full-motion video}, fully {texture map}ped 3d landscapes, all in 24-bit colour. {Sanyo} and {AT&T} will also release 3DO systems...

[<http://www.md.chalmers.se/~bringert/darcs/hdb-foldoc/D...>]

[similar results](#)

☐ **14. No Title** [ASCII-280K]

Mar 2007

...whole image which reduce the compression gain. They also insert position information in each packet so it can be decoded and **displayed** without any dependance on any other packet.}, url = {papers/hipparch98.ps.gz}, submitter = {Johan Garcia}, bibdate = {Thursday...

[<http://www.cs.kau.se/cs/prtp/prtp.bib>]

[similar results](#)

☐ **15. Electric Field Imaging** [PDF-124K]

Feb 1999

All rights reserved. Author
Program in Media Arts and Sciences, School of Architecture and Planning November 24, 1998 Certi ed by.....

[<http://web.media.mit.edu/~jrs/phd.pdf>]

[similar results](#)

☐ **16. 00_03dr.PDF** [286K]

Oct 2000

...33 A.1.2.7 **OVERLAY** IE...35 A.1.2.12 **WAVEFORM** IE...51 A.9 STANDALONE **OVERLAY** INFORMATION OBJECT DEFINITION...51 A.9.1 Standalone **Overlay** IOD Description...

[http://medical.nema.org/dicom/2000/draft/00_03DR.PDF]

[similar results](#)

☐ **17. Microsoft Word - 04_03_36.doc** [374K]

Aug 2005

...38 3.12 DICOM GRAYSCALE STANDARD **DISPLAY** FUNCTION...79 A.1.2.7 **OVERLAY** IE...80 A.1.2.12 **WAVEFORM** IE...

[http://medical.nema.org/dicom/2004/04_03PU3.PDF]

[similar results](#)

☐ **18. Microsoft Word - 03_03_45_acc.doc** [346K]

Feb 2003

...26 3.12 DICOM GRAYSCALE STANDARD **DISPLAY** FUNCTION...61 A.1.2.7 **OVERLAY** IE...63 A.1.2.12 **WAVEFORM** IE...

[http://medical.nema.org/dicom/2003/03_03PU.PDF]

[similar results](#)

- ☐ **19.** [DICOM PS 3.3 2007 - Information Object Definitions \[452K\]](#)
Jan 2007
...87 A.1.2.7 **OVERLAY** IE...88 A.1.2.12 **WAVEFORM** IE...
[http://medical.nema.org/dicom/2007/07_03pu.pdf]
[similar results](#)

- ☐ **20.** [DICOM PS 3.3 2007 - Information Object Definitions \[453K\]](#)
Jan 2007
...87 A.1.2.7 **OVERLAY** IE...88 A.1.2.12 **WAVEFORM** IE...
[http://medical.nema.org/dicom/2007/06v07dif/06v07_03.p...]
[similar results](#)



Results Pages: [[<< Prev](#)] [1](#) [2](#) [[Next >>](#)]

[back to top](#)

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2007



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((slices and waveform and bit values and prior and average and pattern and overlay and display) <_j_)"

 e-mail

Your search matched **0** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance in Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((slices and waveform and bit values and prior and average and pattern and overlay and

Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» **Key**

IEEE JNL IEEE Journal of
Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference
Proceeding

IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

Indexed by
 **Inspection**

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((slices and bit and prior and average and overlay and display)<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE - All rights reserved.

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "**((slices and prior and average and overlay and display)<in>metadata)**"

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)**Modify Search****Search**☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "**((slices and average and overlay and display)<in>metadata)**"

e-mail

Your search matched 1 of **1634821** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**view selected items**[Select All](#) [Deselect All](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

- ☐ 1. **Slice-to-volume registration and its potential application to interventional radio-frequency thermal ablation of prostate cancer**
Baowei Fei; Duerk, J.L.; Boll, D.T.; Lewin, J.S.; Wilson, D.L.;
[Medical Imaging, IEEE Transactions on](#)
Volume 22, [Issue 4](#), April 2003 Page(s):515 - 525
Digital Object Identifier 10.1109/TMI.2003.809078
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1550 KB\)](#) IEEE JNL
[Rights and Permissions](#)

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((slices and average and display)<in>metadata)"

☒ e-mail

Your search matched 6 of 1634821 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
[Select All](#) [Deselect All](#)

- ☐ 1. **Slice-to-volume registration and its potential application to interventional radio-frequency thermal ablation of prostate cancer**
Baowei Fei; Duerk, J.L.; Boll, D.T.; Lewin, J.S.; Wilson, D.L.;
[Medical Imaging, IEEE Transactions on](#)
Volume 22, [Issue 4](#), April 2003 Page(s):515 - 525
Digital Object Identifier 10.1109/TMI.2003.809078
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1550 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Time-sliced, two-dimensional, near-infrared imaging of normal and malignant breast tissues**
Gayen, S.K.; Zevallos, M.E.; Das, B.B.; Alfano, R.R.;
[Lasers and Electro-Optics, 1998. CLEO 98. Technical Digest. Summaries of papers at the Conference on](#)
3-8 May 1998 Page(s):230 - 231
Digital Object Identifier 10.1109/CLEO.1998.676097
[AbstractPlus](#) | Full Text: [PDF\(328 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **An Adaptive Approach to Decomposing Patient-Motion Tracking Data Acquired in Cardiac SPECT Imaging**
Beach, R.D.; Depold, H.; Hans Depold; Boening, G.; Bruyant, P.P.; Gifford, H.; Nadella, S.; King, M.A.;
[Nuclear Science, IEEE Transactions on](#)
Volume 54, [Issue 1](#), Part 1, Feb. 2007 Page(s):130 - 139
Digital Object Identifier 10.1109/TNS.2006.887471
[AbstractPlus](#) | Full Text: [PDF\(1278 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Super-resolved time-frequency analysis of wideband backscattered data**
Moore, J.; Hao Ling;
[Antennas and Propagation, IEEE Transactions on](#)
Volume 43, [Issue 6](#), June 1995 Page(s):623 - 626
Digital Object Identifier 10.1109/8.387179
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
[Rights and Permissions](#)

5. Topographic Display and Quantitative Analysis of Blood Flow Marker Dis

**Normal and Infarcted Hearts**

Waag, R. C.; Schenk, E. A.; Nilsson, J. O.; Richeson, J. F.;
Biomedical Engineering, IEEE Transactions on
Volume BME-29, Issue 10, Oct. 1982 Page(s):694 - 700
Digital Object Identifier 10.1109/TBME.1982.324862

AbstractPlus | Full Text: PDF(7348 KB) IEEE JNL
Rights and Permissions

**6. Three dimensional frameless fusion of ultrasound liver volumes**

Porter, B.C.; Rubens, D.J.; Parker, K.J.;
Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE
Volume 2, 17-20 Oct. 1999 Page(s):1577 - 1580 vol.2
Digital Object Identifier 10.1109/ULTSYM.1999.849296

AbstractPlus | Full Text: PDF(304 KB) IEEE CNF
Rights and Permissions

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –